

Linemarking

The Topline 606 New Improved Version

This classic machine is seen all over the world. It is rugged but simple design offers a combination of performance with economy, which is hard to beat. A series of improvements and refinements have been completed over the years to ensure reliability and consistence performance in all situations.

The TXE features a 25 litre marking liquid tank and is supplied complete with mixing bucket, filtered funnel and wide faced mixing stick.






Topline Briteliner Transfer Wheel Marker

The BriteLiner is a time proven and extremely robust transfer wheel box marking machine which will delight the more traditional Groundsman. Marking liquid is carried on the grooved rubber surfaces on the transfer applied directly to the grass. It is simplicity itself and as long as the machine is properly cleaned after use the operator can look forward to many, many years of trouble free operation.

4" marking wheels
3" marking wheels
2" marking wheels



Linemarking Liquids

PRODUCTS	FOR USE ON	SIZE	DILUTION RATES	APPLICATION
	Stadiums, Sportsfields and other top Sporting venues where a high level finish is required	10 Litre	Initial marking: 1 Litre EXTREME to 4 litres of water. Over marking: 1 litre EXTREME up to 10 litres of water.	Spray Marker or Transfer Wheel
	Sportsfields and other grass areas where a high quality durable line is required	10 litre	Initial marking: 1 Litre SPORTSLINE to 4 litres of water. Over marking: 1 litre SPORTSLINE up to 10 litres of water.	Spray Marker or Transfer Wheel
	Quality linemarking paint for Sportsfields and other grass areas.	10 litre	Initial marking: Use neat or 1 Litre BLADE to 3 litres of water. Over marking: 1 litre BLADE up to 3 litres of water.	Transfer wheel

